





ACR38x









Units 2010-2013, 20th Floor Chevalier Commercial Centre 8 Wang Hoi Road, Kowloon Bay, HK Tel: +852-27967873 Fax: +852-27961286 info@acs.com.hk www.acs.com.hk

Outline



- Product Review
- Product Features
- Product Value
- Product Application





The ACR38U series is a family of Contact Smart Card Readers sharing the same core.





The ACR38 series is a PC-linked Smart Card Reader that comes in various form factors.





ACR38 is the flagship product of ACS. It is a powerful and reliable smart card reader that supports smart cards conforming to ISO 7816.







ACR38U PocketMate Smart
Card Reader is a full-sized card
reader in token sized form
factor to ensure that the
device can be used anytime,
anywhere.



ACR38T is a SIM-sized Smart Card Reader that supports ISO 7816 cards, MCU cards, memory cards, and GSM 11.11-compliant cards.







ACR38F Smart Floppy is the ideal solution for easy integration of a smart card reader into a desktop environment.



ACR38K Smart Keyboard combines the functionality of a smart card reader and a computer keyboard for easy integration in a PC environment.





ACR92 PCMCIA Smart Card Reader is a specially designed smart card peripheral for notebook and portable computers.





Product Features

Product Features





Interface
USB 2.0 Full Speed

Card Type Support

Full-sized Cards
ISO 7816 Class A, B, C
MCU with T=0 and T=1 protocol
Memory Cards

Certifications/Compliance

EMV Level 1
FIPS 201
TAA
ROHS 2
REACH
LASCOM
CE, FCC, VCCI, KC
Microsoft® WHQL

Plug and Play Support
CCID Compliant

Supported Operating System

Windows® CE, Windows® 98,
Windows® ME, Windows® 2000,
Windows® XP, Windows Vista®,
Windows® 7, Windows® 8,
Windows® 8.1,
Windows® Server 2003,
Windows® Server 2003 R2,
Windows® Server 2008 R2,
Windows® Server 2012 R2,
Windows® Server 2012 R2
Mac OS® X
Linux®
Android™ 3.1 and above

API Support
PC/SC
CT-API



Product Value

Product Value



Cost-effective

A compact and powerful device that integrates different features into one device

High-speed I/O Operations

Can support Smart Card R/W Speed of up to 344 Kbps

Reliable

Widely used and well-tested for use in various applications areas

Flexible

- Available in various form factors/casing designs
- Can be customized to use landing connector
- SAM Interface is available upon request



Product Application

Product Application



















Sample Application







Smart Card Readers are sold or awarded to citizens who participate in the program



Government Services

Depending on the program, participants may benefit from applications such as digital signature, e-Commerce, parking, home banking, library card, etc.









Thank You!







info@acs.com.hk

www.acs.com.hk

- ¥
- http://twitter.com/SmartCardReader
- f

http://www.facebook.com/AdvancedCardSystems



http://gplus.to/advancedcardsystems



http://www.youtube.com/user/AdvancedCardSystems

