









ACR38U Pocketmate II









Outline



- Product Review
- Product Features
- Product Value
- Product Application



Product Overview

Product Overview



ACR38U PocketMate II

ACR38U PocketMate II is the perfect tool to be used with your mobile devices. With its Micro-USB OTG interface, it is capable of supporting most smartphones and tablets for your applications using full-sized contact smart card.





Product Features

Product Features





Card Type Support

Full-sized Cards
ISO 7816 Class A, B, C
MCU with T=0 and T=1 protocol
Memory Cards
Common Access Cards (CAC)

Certifications/Compliance

EMV™ 2000 Level 1
FIPS 201
TAA
RoHS 2, WEEE
REACH
CE, FCC, VCCI, KC
Microsoft® WHQL

Interface
Micro-USB OTG Full Speed

Supported Operating System

Windows® CE, Windows® 98,
Windows® 2000, Windows® XP,
Windows Vista®, Windows® 7,
Windows® 8, Windows® 8.1,
Windows® Server 2003,
Windows® Server 2008,
Windows® Server 2018,
Windows® Server 2012,
Windows® Server 2012 R2
Mac OS® X
Linux®
Android™ 3.1 and above



Product Value

Product Value



Cost-effective

A compact yet powerful reader which is also price-competitive.

Portability

A device that you can easily carry around anytime, anywhere.

Coverage

ACS' mobile card reader supports majority of mobile devices in the market.



Product Application

Product Application

















Sample Application





Open a document on mobile



Connect ACR38U-ND and User's ID card. Tap Sign document





Send out secured document



Document signed with the user's digital signature

Input card PIN for signing











Thank You!







info@acs.com.hk

www.acs.com.hk



http://twitter.com/SmartCardReader



http://www.facebook.com/AdvancedCardSystems



http://gplus.to/advancedcardsystems



http://www.youtube.com/user/AdvancedCardSystems

